(Contents continued from back cover)

Delivery of antitumor compounds to the rat colon: in vitro and in vivo evaluation
K. Ciftci, M.J. Groves (USA) 157
The mechanical properties of two forms of primidone predicted from their crystal structures
R.S. Payne, R.J. Roberts, R.C. Rowe, M. McPartlin, A. Bashal (UK) 165
Transdermal iontophoresis of sodium nonivamide acetate II: optimization and evaluation on solutions and gels
J.-Y. Fang, Y.-B. Huang, P.-C. Wu, Y.-H. Tsai (Taiwan, ROC) 175
Evaluation of drug penetration into human skin ex vivo using branched fatty acids and propylene glycol
I.-M. Schneider, B. Dobner, R. Neubert, Wolfgang Wohlrab (Germany) 187
Dynamic surface tension studies of hydroxypropylmethylcellulose film-coating solutions
E. Ochoa Machiste, G. Buckton (UK) 197
Doehlert experimental design applied to optimization and quality control of a granulation process in a high shear mixer
D. Vojnovic, D. Chicco, H. El Zenary (Italy) 203
Percutaneous absorption of captorpil from hydrophilic cellulose gel® through excised rabbit skin and human skin
P.-C. Wu, Y.-B. Huang, H.-H. Lin, Y.-H. Tsai (Taiwan, ROC) 215
The influence of constant and changing relative humidity of the air on the autoadhesion force between pharmaceutical powder particles
F. Podczeck, J.M. Newton, M.B. James (UK) 221
Bioadhesion of hydrated chitosans: an in vitro and in vivo study
I. Henriksen, K.L. Green, J.D. Smart, G. Smistad, J. Karlsen (Norway, UK) 231

Notes
Spontaneous formation of drug-containing amphiphilic β-cyclodextrin nanocapsules
M. Skiba, F. Nemati, F. Puisieux, D. Duchêne, D. Wouessidjewe (France) 241
Permeability to hydrogen ions of an enteric coating polymer and interaction of film formulation factors
F. Raffin, C. Duru, M. Jacob (Brazil, France) 247

Erratum
A. Bauer-Brandl (Germany) 253